


Parent's and Adult's Knowledge and Acceptance

Creation Date: 3/18/2009

Time Interval: 10/17/2008 to 3/18/2009

Total Respondents: 129

1. How many children do you have? *Choose one.*




1. 1	31	31%
2. 2	37	37%
3. 3	21	21%
4. 4	9	9%
5. 5	0	0%
6. 6	1	1%
7. 7	0	0%
8. 8	1	1%
9. 9	0	0%

Total Responses:

100

Mean: 2.18 Standard Deviation: 1.18

2. How old are your children? *Choose all that apply.*



1. 1	1	1%	11. 11	4	5%
2. 2	3	4%	12. 12	3	4%
3. 3	1	1%	13. 13	5	6%
4. 4	2	2%	14. 14	3	4%
5. 5	2	2%	15. 15	6	7%
6. 6	3	4%	16. 16	5	6%
7. 7	3	4%	17. 17	8	10%
8. 8	3	4%	18. 18	7	9%
9. 9	3	4%	19. 19	6	7%
10. 10	2	2%	20. 20	12	15%


Total Responses:

82

Mean: 13.55 Standard Deviation: 5.52


Parent's and Adult's Knowledge and Acceptance

3. During the LAST 30 DAYS, how many times (if any) have you been a passenger in a car... Choose how many times for each line.




1. 0	91	74%
2. 1	26	21%
3. 2	5	4%
4. 3-5	1	1%
5. 6-9	0	0%
6. 10+	0	0%
Total Responses:	123	
Mean: 1.32	Standard Deviation: 0.59	

When you think the driver had 5 or more alcoholic drinks?



1. 0	108	90%
2. 1	6	5%
3. 2	1	1%
4. 3-5	2	2%
5. 6-9	2	2%
6. 10+	1	1%
Total Responses:	120	
Mean: 1.23	Standard Deviation: 0.81	


4. How many of your friends would you estimate... Choose one for each line



1. None	25	19%
2. Few	58	45%
3. Some	32	25%
4. Most	14	11%
5. All	0	0%
Total Responses:	129	
Mean: 2.27	Standard Deviation: 0.90	


Parent's and Adult's Knowledge and Acceptance

Use smokeless tobacco (snuff, plug or chewing tobacco)?




1. None	98	76%
2. Few	24	19%
3. Some	6	5%
4. Most	0	0%
5. All	1	1%
Total Responses:	129	
Mean: 1.31	Standard Deviation: 0.63	

Drink alcoholic beverages?




1. None	19	15%
2. Few	66	51%
3. Some	27	21%
4. Most	12	9%
5. All	5	4%
Total Responses:	129	
Mean: 2.36	Standard Deviation: 0.98	

Get drunk at least once a week?



1. None	75	58%
2. Few	40	31%
3. Some	5	4%
4. Most	9	7%
5. All	0	0%
Total Responses:	129	
Mean: 1.60	Standard Deviation: 0.86	


Use anabolic steroids (roids, puffers, etc)?



1. None	113	88%
2. Few	11	9%
3. Some	2	2%
4. Most	2	2%
5. All	0	0%
Total Responses:	128	
Mean: 1.16	Standard Deviation: 0.51	


Parent's and Adult's Knowledge and Acceptance

Smoke marijuana (pot, grass) or hashish?




1. None	80	62%
2. Few	37	29%
3. Some	7	5%
4. Most	1	1%
5. All	4	3%
Total Responses:	129	
Mean: 1.54	Standard Deviation: 0.88	

Use inhalants (glue, aerosols, poppers, amyl nitrite)?




1. None	122	95%
2. Few	5	4%
3. Some	1	1%
4. Most	0	0%
5. All	1	1%
Total Responses:	129	
Mean: 1.09	Standard Deviation: 0.43	

Take MDMA ("ecstasy")



1. None	122	95%
2. Few	2	2%
3. Some	4	3%
4. Most	1	1%
5. All	0	0%
Total Responses:	129	
Mean: 1.10	Standard Deviation: 0.45	


Take amphetamines (speed, uppers, crystal meth, crank)?



1. None	124	96%
2. Few	2	2%
3. Some	1	1%
4. Most	2	2%
5. All	0	0%
Total Responses:	129	
Mean: 1.08	Standard Deviation: 0.43	


Parent's and Adult's Knowledge and Acceptance

Take dextromethorphan (DxM)?




1. None	127	98%
2. Few	1	1%
3. Some	1	1%
4. Most	0	0%
5. All	0	0%
Total Responses:	129	
Mean: 1.02	Standard Deviation: 0.20	

Take Rohypnol pills ("roofies")




1. None	124	96%
2. Few	3	2%
3. Some	0	0%
4. Most	1	1%
5. All	1	1%
Total Responses:	129	
Mean: 1.08	Standard Deviation: 0.46	

Take tranquilizers (Xanax, Clonopin, Valium, Miltown)?



1. None	94	73%
2. Few	27	21%
3. Some	4	3%
4. Most	1	1%
5. All	3	2%
Total Responses:	129	
Mean: 1.39	Standard Deviation: 0.79	


Smoke crack?



1. None	123	95%
2. Few	4	3%
3. Some	1	1%
4. Most	0	0%
5. All	1	1%
Total Responses:	129	
Mean: 1.08	Standard Deviation: 0.43	


Parent's and Adult's Knowledge and Acceptance

Use cocaine (other than crack)?




1. None	120	93%
2. Few	5	4%
3. Some	1	1%
4. Most	1	1%
5. All	2	2%
Total Responses:	129	
Mean: 1.14	Standard Deviation: 0.61	

Use heroin (smack, horse, skag)?




1. None	126	98%
2. Slight	1	1%
3. Moderate	1	1%
4. Great	0	0%
5. Can't Say	1	1%
Total Responses:	129	
Mean: 1.05	Standard Deviation: 0.40	

Use any narcotic other than heroin (opium, codeine, paragoric, demerol, percodan, oxycodone, oxycontin darvon)?



1. None	123	96%
2. Few	4	3%
3. Some	0	0%
4. Most	0	0%
5. All	1	1%
Total Responses:	128	
Mean: 1.06	Standard Deviation: 0.39	


5. Individuals differ in whether or not they disapprove of their friends doing certain things. Do YOU disapprove of your friends doing each of the following? Choose one for each line.



1. Don't disapprove	27	21%
2. Disapprove	82	64%
3. Strongly disapprove	20	16%
Total Responses:	129	
Mean: 1.95	Standard Deviation: 0.60	


Parent's and Adult's Knowledge and Acceptance

Using smokeless tobacco (snuff, plug, chewing tobacco)




1. Don't disapprove	21	16%
2. Disapprove	71	55%
3. Strongly disapprove	37	29%
Total Responses:	129	
Mean: 2.12	Standard Deviation: 0.66	

Taking 1 or 2 drinks nearly every day




1. Don't disapprove	56	43%
2. Disapprove	49	38%
3. Strongly disapprove	24	19%
Total Responses:	129	
Mean: 1.75	Standard Deviation: 0.75	

Having 5 or more drinks once or twice each week



1. Don't disapprove	22	17%
2. Disapprove	63	49%
3. Strongly disapprove	43	34%
Total Responses:	128	
Mean: 2.16	Standard Deviation: 0.70	


Using anabolic steroids (roids, puffers, etc)



1. Don't disapprove	18	14%
2. Disapprove	44	34%
3. Strongly disapprove	66	52%
Total Responses:	128	
Mean: 2.38	Standard Deviation: 0.72	


Parent's and Adult's Knowledge and Acceptance

Smoking marijuana (pot, grass) once or twice




1. Don't disapprove	25	19%
2. Disapprove	60	47%
3. Strongly disapprove	44	34%
Total Responses:	129	
Mean: 2.15	Standard Deviation: 0.72	

Smoking marijuana regularly




1. Don't disapprove	15	12%
2. Disapprove	54	42%
3. Strongly disapprove	60	47%
Total Responses:	129	
Mean: 2.35	Standard Deviation: 0.68	

Trying an inhalant (glue, aerosols, poppers, amyl nitrite)



1. Don't disapprove	13	10%
2. Disapprove	34	27%
3. Strongly disapprove	81	63%
Total Responses:	128	
Mean: 2.53	Standard Deviation: 0.68	


Taking MDMA ("ecstasy")



1. Don't disapprove	14	11%
2. Disapprove	26	20%
3. Strongly disapprove	89	69%
Total Responses:	129	
Mean: 2.58	Standard Deviation: 0.68	


Parent's and Adult's Knowledge and Acceptance

Trying an amphetamine (speed, uppers, crystal meth, crank)




1. Don't disapprove	15	12%
2. Disapprove	26	20%
3. Strongly disapprove	86	68%
Total Responses:	127	
Mean: 2.56	Standard Deviation: 0.70	

Trying Rohypnol ("roofie")




1. Don't disapprove	13	10%
2. Disapprove	29	22%
3. Strongly disapprove	87	67%
Total Responses:	129	
Mean: 2.57	Standard Deviation: 0.67	

Trying dextromethorphan (DxM) once



1. Don't disapprove	15	12%
2. Disapprove	32	25%
3. Strongly disapprove	81	63%
Total Responses:	128	
Mean: 2.52	Standard Deviation: 0.70	


Trying a tranquilizer (Xanax, Clonopin, Valium, Miltown)



1. Don't disapprove	19	15%
2. Disapprove	53	41%
3. Strongly disapprove	57	44%
Total Responses:	129	
Mean: 2.29	Standard Deviation: 0.71	


Parent's and Adult's Knowledge and Acceptance

Trying crack once or twice




1. Don't disapprove	13	10%
2. Disapprove	33	26%
3. Strongly disapprove	83	64%
Total Responses:	129	
Mean: 2.54 Standard Deviation: 0.67		

Trying cocaine (other than crack) once or twice




1. Don't disapprove	14	11%
2. Disapprove	29	23%
3. Strongly disapprove	85	66%
Total Responses:	128	
Mean: 2.55 Standard Deviation: 0.69		

Using heroin (smack, horse, skag)



1. Don't disapprove	14	11%
2. Disapprove	29	22%
3. Strongly disapprove	86	67%
Total Responses:	129	
Mean: 2.56 Standard Deviation: 0.68		


Using any narcotic other than heroin (opium, codeine, paragoric, demerol, percodan, oxycodone, coycontin darvon)



1. Don't disapprove	13	10%
2. Disapprove	25	20%
3. Strongly disapprove	89	70%
Total Responses:	127	
Mean: 2.60 Standard Deviation: 0.67		


Parent's and Adult's Knowledge and Acceptance

6. How wrong would it be for your children to: (Choose one per line)




1. Very Wrong	78	72%
2. Wrong	20	19%
3. A Little Bit Wrong	6	6%
4. Not Wrong	4	4%
Total Responses:	108	
Mean: 1.41 Standard Deviation: 0.76		

Smoke cigarettes?




1. Very Wrong	60	56%
2. Wrong	36	34%
3. A Little Bit Wrong	7	7%
4. Not Wrong	4	4%
Total Responses:	107	
Mean: 1.58 Standard Deviation: 0.78		

Smoke marijuana?



1. Very Wrong	78	74%
2. Wrong	19	18%
3. A Little Bit Wrong	5	5%
4. Not Wrong	4	4%
Total Responses:	106	
Mean: 1.39 Standard Deviation: 0.75		


Steal anything worth more than \$5?



1. Very Wrong	84	79%
2. Wrong	16	15%
3. A Little Bit Wrong	2	2%
4. Not Wrong	4	4%
Total Responses:	106	
Mean: 1.30 Standard Deviation: 0.69		


Parent's and Adult's Knowledge and Acceptance

Draw graffiti, or write anything or draw pictures on buildings or other property?




1. Very Wrong	82	77%
2. Wrong	19	18%
3. A Little Bit Wrong	2	2%
4. Not Wrong	4	4%
Total Responses:	107	
Mean: 1.33	Standard Deviation: 0.70	

Pick a fight with someone?




1. Very Wrong	70	65%
2. Wrong	30	28%
3. A Little Bit Wrong	3	3%
4. Not Wrong	4	4%
Total Responses:	107	
Mean: 1.45	Standard Deviation: 0.73	

7. How much do you think your friends risk harming themselves (physically or in other ways), if they... Choose one for each line.



1. None	11	9%
2. Slight	26	20%
3. Moderate	35	27%
4. Great	53	41%
5. Can't Say	3	2%
Total Responses:	128	
Mean: 3.09	Standard Deviation: 1.03	


Use smokeless tobacco regularly (snuff, plug or chewing tobacco)



1. None	8	6%
2. Slight	21	16%
3. Moderate	29	23%
4. Great	66	52%
5. Can't Say	4	3%
Total Responses:	128	
Mean: 3.29	Standard Deviation: 0.99	


Parent's and Adult's Knowledge and Acceptance

Take 1 or 2 drinks nearly every day




1. None	10	8%
2. Slight	25	20%
3. Moderate	34	27%
4. Great	52	41%
5. Can't Say	7	5%
Total Responses:	128	
Mean: 3.16	Standard Deviation: 1.06	

Take 4 or 5 drinks nearly every day




1. None	7	6%
2. Slight	4	3%
3. Moderate	13	10%
4. Great	89	71%
5. Can't Say	13	10%
Total Responses:	126	
Mean: 3.77	Standard Deviation: 0.89	

Have 5 or more drinks once or twice a week



1. None	5	4%
2. Slight	8	6%
3. Moderate	10	8%
4. Great	88	70%
5. Can't Say	15	12%
Total Responses:	126	
Mean: 3.79	Standard Deviation: 0.88	


Use anabolic steroids (roids, puffers, etc)



1. None	8	6%
2. Slight	10	8%
3. Moderate	18	14%
4. Great	74	58%
5. Can't Say	18	14%
Total Responses:	128	
Mean: 3.66	Standard Deviation: 1.02	


Parent's and Adult's Knowledge and Acceptance

Try marijuana (pot, grass)




1. None	11	9%
2. Slight	18	14%
3. Moderate	31	24%
4. Great	57	45%
5. Can't Say	11	9%
Total Responses:	128	
Mean: 3.30	Standard Deviation: 1.09	

Smoke marijuana (pot, grass) occasionally




1. None	9	7%
2. Slight	4	3%
3. Moderate	22	17%
4. Great	84	66%
5. Can't Say	9	7%
Total Responses:	128	
Mean: 3.62	Standard Deviation: 0.93	

Smoke marijuana regularly



1. None	8	6%
2. Slight	1	1%
3. Moderate	6	5%
4. Great	98	77%
5. Can't Say	14	11%
Total Responses:	127	
Mean: 3.86	Standard Deviation: 0.86	


Try an inhalant (glue, aerosols, poppers, amyl nitrite)



1. None	7	6%
2. Slight	2	2%
3. Moderate	4	3%
4. Great	90	71%
5. Can't Say	24	19%
Total Responses:	127	
Mean: 3.96	Standard Deviation: 0.89	


Parent's and Adult's Knowledge and Acceptance

Try MDMA ("ecstasy")




1. None	7	5%
2. Slight	2	2%
3. Moderate	7	5%
4. Great	83	65%
5. Can't Say	29	23%
Total Responses:	128	
Mean: 3.98	Standard Deviation: 0.92	

Take MDMA ("ecstasy") occasionally




1. None	8	6%
2. Slight	1	1%
3. Moderate	6	5%
4. Great	83	65%
5. Can't Say	29	23%
Total Responses:	127	
Mean: 3.98	Standard Deviation: 0.94	

Take MDMA ("ecstasy") regularly



1. None	7	5%
2. Slight	0	0%
3. Moderate	8	6%
4. Great	85	66%
5. Can't Say	28	22%
Total Responses:	128	
Mean: 3.99	Standard Deviation: 0.88	


Take an amphetamines (speed, uppers, crystal meth, crank) once or twice



1. None	8	6%
2. Slight	1	1%
3. Moderate	7	5%
4. Great	89	70%
5. Can't Say	23	18%
Total Responses:	128	
Mean: 3.92	Standard Deviation: 0.91	

Parent's and Adult's Knowledge and Acceptance


Take amphetamines occasionally



4

1. None	7	6%
2. Slight	1	1%
3. Moderate	9	7%
4. Great	92	72%
5. Can't Say	18	14%
Total Responses:	127	
Mean: 3.89	Standard Deviation: 0.86	


Try a Rohypnol pill ("roofie") once or twice



4

1. None	7	5%
2. Slight	3	2%
3. Moderate	4	3%
4. Great	95	74%
5. Can't Say	19	15%
Total Responses:	128	
Mean: 3.91	Standard Deviation: 0.87	


Take Rohypnol ("roofies") occasionally



4

1. None	7	5%
2. Slight	0	0%
3. Moderate	6	5%
4. Great	95	74%
5. Can't Say	20	16%
Total Responses:	128	
Mean: 3.95	Standard Deviation: 0.84	

Take Rohypnol ("roofies") regularly




4

1. None	7	6%
2. Slight	0	0%
3. Moderate	4	3%
4. Great	97	76%
5. Can't Say	19	15%
Total Responses:	127	
Mean: 3.95	Standard Deviation: 0.82	


Parent's and Adult's Knowledge and Acceptance

Try detromethorphan (DxM) once or twice




1. None	9	7%
2. Slight	5	4%
3. Moderate	7	5%
4. Great	86	67%
5. Can't Say	21	16%
Total Responses:	128	
Mean: 3.82	Standard Deviation: 0.99	

Try detromethorphan (DxM) occasionally




1. None	7	6%
2. Slight	7	6%
3. Moderate	20	16%
4. Great	73	57%
5. Can't Say	20	16%
Total Responses:	127	
Mean: 3.72	Standard Deviation: 0.98	

Try a tranquilizer (Xanax, Clonopin, Valium, Miltown)



1. None	5	4%
2. Slight	18	14%
3. Moderate	32	25%
4. Great	52	41%
5. Can't Say	20	16%
Total Responses:	127	
Mean: 3.50	Standard Deviation: 1.05	


Take tranquilizers occasionally



1. None	6	5%
2. Slight	15	12%
3. Moderate	32	25%
4. Great	55	43%
5. Can't Say	20	16%
Total Responses:	128	
Mean: 3.53	Standard Deviation: 1.04	


Parent's and Adult's Knowledge and Acceptance

Smoke crack once or twice




1. None	7	5%
2. Slight	3	2%
3. Moderate	6	5%
4. Great	90	70%
5. Can't Say	22	17%
Total Responses:	128	
Mean: 3.91	Standard Deviation: 0.90	

Smoke crack occasionally




1. None	7	5%
2. Slight	1	1%
3. Moderate	5	4%
4. Great	92	72%
5. Can't Say	23	18%
Total Responses:	128	
Mean: 3.96	Standard Deviation: 0.86	

Smoke crack regularly



1. None	7	5%
2. Slight	0	0%
3. Moderate	2	2%
4. Great	96	75%
5. Can't Say	23	18%
Total Responses:	128	
Mean: 4.00	Standard Deviation: 0.83	


Try cocaine (other than crack) once or twice



1. None	7	5%
2. Slight	2	2%
3. Moderate	5	4%
4. Great	88	69%
5. Can't Say	26	20%
Total Responses:	128	
Mean: 3.97	Standard Deviation: 0.90	


Parent's and Adult's Knowledge and Acceptance

Use cocaine occasionally




1. None	7	6%
2. Slight	0	0%
3. Moderate	3	2%
4. Great	92	72%
5. Can't Say	25	20%
Total Responses:	127	
Mean: 4.01	Standard Deviation: 0.85	

Use cocaine regularly




1. None	8	6%
2. Slight	0	0%
3. Moderate	1	1%
4. Great	96	75%
5. Can't Say	23	18%
Total Responses:	128	
Mean: 3.98	Standard Deviation: 0.87	

Use heroin (smack, horse, skag)



1. None	7	5%
2. Slight	0	0%
3. Moderate	2	2%
4. Great	97	76%
5. Can't Say	22	17%
Total Responses:	128	
Mean: 3.99	Standard Deviation: 0.83	


Use any narcotic other than heroin (opium, codeine, paragoric, demorol, percodan, oxycodone, oxycontin darvon)



1. None	5	4%
2. Slight	2	2%
3. Moderate	2	2%
4. Great	92	74%
5. Can't Say	23	19%
Total Responses:	124	
Mean: 4.02	Standard Deviation: 0.80	


Parent's and Adult's Knowledge and Acceptance

8. How often have you seen commercials on TV, or heard them on the radio, that are anti-drug? Choose one.




1. Not At All	8	7%
2. Less than once a month	44	36%
3. 1 - 3 times per month	36	30%
4. Daily or almost daily	8	7%
5. More than once a day	7	6%
6. 1 - 3 times per week	19	16%
Total Responses:	122	
Mean: 3.16	Standard Deviation: 1.52	

9. To what extent to you think such commercials have made people less favorable towards drugs?




1. Not at all	12	10%
2. To a little extent	41	34%
3. To some extent	56	46%
4. To a great extent	12	10%
5. To a very great extent	1	1%
Total Responses:	122	
Mean: 2.58	Standard Deviation: 0.83	

10. To what extent to you think such commercials have overstated the dangers of risks of drug use?



1. Not at all	14	12%
2. To a little extent	45	40%
3. To some extent	36	32%
4. To a great extent	13	12%
5. To a very great extent	4	4%
Total Responses:	112	
Mean: 2.54	Standard Deviation: 0.98	


11. The following are a series of true/false questions about drugs. If you don't know the answer, answer "don't know".



1. True	88	69%
2. False	13	10%
3. Don't Know	26	20%
Total Responses:	127	
Mean: 1.51	Standard Deviation: 0.82	


Parent's and Adult's Knowledge and Acceptance

Alcoholism is a medical disease




1. True	115	90%
2. False	10	8%
3. Don't Know	3	2%
Total Responses:	128	
Mean: 1.12	Standard Deviation: 0.40	

The use of steroids may result in mood swings




1. True	108	85%
2. False	5	4%
3. Don't Know	14	11%
Total Responses:	127	
Mean: 1.26	Standard Deviation: 0.65	

Inhalants can kill



1. True	117	92%
2. False	5	4%
3. Don't Know	5	4%
Total Responses:	127	
Mean: 1.12	Standard Deviation: 0.43	


Smokeless tobacco does not cause cancer



1. True	21	17%
2. False	92	73%
3. Don't Know	13	10%
Total Responses:	126	
Mean: 1.94	Standard Deviation: 0.52	


Parent's and Adult's Knowledge and Acceptance

Alcohol is a drug




1. True	115	91%
2. False	9	7%
3. Don't Know	3	2%
Total Responses:	127	
Mean: 1.12	Standard Deviation: 0.39	

Brain cell damage can result from drinking alcohol




1. True	105	83%
2. False	8	6%
3. Don't Know	14	11%
Total Responses:	127	
Mean: 1.28	Standard Deviation: 0.65	

Marijuana can improve short-term memory



1. True	17	13%
2. False	83	65%
3. Don't Know	27	21%
Total Responses:	127	
Mean: 2.08	Standard Deviation: 0.59	


The child of an alcoholic has a higher chance of becoming an alcoholic than someone with no alcoholism in his/her family



1. True	79	63%
2. False	6	5%
3. Don't Know	41	33%
Total Responses:	126	
Mean: 1.70	Standard Deviation: 0.93	


Parent's and Adult's Knowledge and Acceptance

Tobacco is an addictive drug




1. True	102	80%
2. False	18	14%
3. Don't Know	7	6%
Total Responses:	127	
Mean: 1.25	Standard Deviation: 0.55	

LSD (acid) is not a drug




1. True	42	33%
2. False	73	57%
3. Don't Know	12	9%
Total Responses:	127	
Mean: 1.76	Standard Deviation: 0.61	

Tea and chocolate contain caffeine



1. True	85	67%
2. False	31	24%
3. Don't Know	11	9%
Total Responses:	127	
Mean: 1.42	Standard Deviation: 0.65	


One drink of alcohol will improve coordination



1. True	48	38%
2. False	68	54%
3. Don't Know	10	8%
Total Responses:	126	
Mean: 1.70	Standard Deviation: 0.61	


Parent's and Adult's Knowledge and Acceptance

Illegal drugs may have other substances mixed into them




1. True	111	89%
2. False	6	5%
3. Don't Know	8	6%
Total Responses:	125	
Mean: 1.18	Standard Deviation: 0.52	

Using more than one drug at a time may cause unexpected side effects




1. True	107	84%
2. False	6	5%
3. Don't Know	14	11%
Total Responses:	127	
Mean: 1.27	Standard Deviation: 0.65	

A person who has taken an amphetamine is likely to be talkative and tense



1. True	55	44%
2. False	10	8%
3. Don't Know	59	48%
Total Responses:	124	
Mean: 2.03	Standard Deviation: 0.96	


12. How difficult do you think it is for someone your age to obtain help in dealing with a drug problem? *Choose one choice.*



1. Very Difficult	10	8%
2. Fairly Difficult	22	17%
3. Fairly Easy	46	37%
4. Very easy	14	11%
5. Don't know	34	27%
Total Responses:	126	
Mean: 3.32	Standard Deviation: 1.26	


Parent's and Adult's Knowledge and Acceptance

13. Would you be willing to take a simple lab test to show that you don't use drugs?




1. Yes	107	89%
2. No	13	11%
Total Responses:	120	
Mean: 1.11	Standard Deviation: 0.31	

14. Where do you get most of your information about the effects that drugs have on the people that use them? *Choose all that apply.*




1. Priest or Ministry	25	21%
2. Family members	34	28%
3. Your Doctor	9	8%
4. Your Parents	1	1%
5. Police	2	2%
6. Newspapers or Magazines	25	21%
7. Books	4	3%
8. Radio or TV	14	12%
9. Don't Know	6	5%
Total Responses:	120	
Mean: 3.98	Standard Deviation: 2.72	

15. How worried are you that another student at school would injure your children?



1. I never worry about that.	6	7%
2. I worry about that a little.	24	26%
3. I worry about that a lot.	61	67%
Total Responses:	91	
Mean: 2.60	Standard Deviation: 0.61	


16. How worried are you that that your children will be injured by someone while you are outside in your neighborhood?



1. I never worry about that.	10	11%
2. I worry about that a little.	35	40%
3. I worry about that a lot.	42	48%
Total Responses:	87	
Mean: 2.37	Standard Deviation: 0.68	


Parent's and Adult's Knowledge and Acceptance

17. How worried are you that someone will injure your children when you go out in public, such as to the beach, to a mall, or to a game or concert?




1. I never worry about that.	6	7%
2. I worry about that a little.	28	31%
3. I worry about that a lot.	55	62%
Total Responses:	89	
Mean: 2.55	Standard Deviation: 0.62	

18. How worried are you that your children will be injured by an adult, either in your home or in your neighborhood?




1. I never worry about that.	17	19%
2. I worry about that a little.	14	16%
3. I worry about that a lot.	57	65%
Total Responses:	88	
Mean: 2.45	Standard Deviation: 0.80	

19. How worried are you that a gun will injure your children?



1. I never worry about that.	9	11%
2. I worry about that a little.	15	18%
3. I worry about that a lot.	61	72%
Total Responses:	85	
Mean: 2.61	Standard Deviation: 0.67	

20. What is your race? Choose one.




1. White	22	18%
2. Black	0	0%
3. Brown, Mulatto (White + Black)	1	1%
4. Mixed Race (White + Native)	1	1%
5. Yellow, Oriental	2	2%
6. Other race group, (specify below)	98	79%
Total Responses:	124	
Mean: 5.06	Standard Deviation: 1.92	

Parent's and Adult's Knowledge and Acceptance


21. What is your sex? Choose one.

1. Male	54	44%
2. Female	70	56%
Total Responses:	124	
Mean: 1.56	Standard Deviation: 0.50	




22. Which of the following people live in the same household with you? Choose all that apply.

1. I live alone	14	11%
2. Husband/wife	60	49%
3. Son/Daughter	24	20%
4. Other relative(s)	17	14%
5. Non-relative(s)	6	5%
6. Grandparent(s)	1	1%
Total Responses:	122	
Mean: 2.54	Standard Deviation: 1.08	




23. Do you feel that anyone in your family has a problem with alcohol or other drugs?

1. Yes	21	17%
2. No	82	65%
3. Don't Know	24	19%
Total Responses:	127	
Mean: 2.02	Standard Deviation: 0.60	




24. What is your religious preference? Choose one

1. Protestant	17	13%
2. Roman Catholic	61	48%
3. Jewish	2	2%
4. Other Religion	24	19%
5. None	23	18%
Total Responses:	127	
Mean: 2.80	Standard Deviation: 1.38	




Parent's and Adult's Knowledge and Acceptance

25. How often do you attend religious services? Choose one



1. Never	19	15%
2. Rarely	41	32%
3. Once or twice a month	40	31%
4. About once a week or more	27	21%
Total Responses:	127	
Mean: 2.59	Standard Deviation: 0.99	


26. How important is religion in your life? Choose One



1. Not important	22	17%
2. A little important	35	28%
3. Pretty important	38	30%
4. Very important	31	25%
Total Responses:	126	
Mean: 2.62	Standard Deviation: 1.04	


Parent's and Adult's Knowledge and Acceptance

27. Have you changed homes in the past year?




1. Yes	39	31%
2. No	88	69%
Total Responses:	127	
Mean: 1.69	Standard Deviation: 0.46	

28. How many times have you changed homes in the last 10 years?




1. Never	24	19%
2. 1 or 2 times	63	51%
3. 3 or 4 times	33	27%
4. 5 or 6 times	2	2%
5. 7 or more times	2	2%
Total Responses:	124	
Mean: 2.15	Standard Deviation: 0.81	

29. Have you or anyone in your family ever had a severe alcohol or drug problem?



1. Yes	30	24%
2. No	94	76%
Total Responses:	124	
Mean: 1.76	Standard Deviation: 0.43	


30. The rules in my family are clear.



1. NO!	3	2%
2. no	7	6%
3. yes	92	74%
4. YES!	23	18%
Total Responses:	125	
Mean: 3.08	Standard Deviation: 0.58	


Parent's and Adult's Knowledge and Acceptance

31. People in my family often insult or yell at each other.




1. NO!	19	16%
2. no	71	59%
3. yes	21	18%
4. YES!	9	8%
Total Responses:	120	
Mean: 2.17	Standard Deviation: 0.78	

32. When my children are not home, I know where they are and with who.




1. NO!	2	2%
2. no	6	6%
3. yes	43	46%
4. YES!	42	45%
Total Responses:	93	
Mean: 3.34	Standard Deviation: 0.70	

33. We argue about the same things in my family over and over.



1. NO!	15	13%
2. no	57	51%
3. yes	29	26%
4. YES!	11	10%
Total Responses:	112	
Mean: 2.32	Standard Deviation: 0.83	


34. My family has clear rules about alcohol and drug use.



1. NO!	1	1%
2. no	8	7%
3. yes	71	61%
4. YES!	36	31%
Total Responses:	116	
Mean: 3.22	Standard Deviation: 0.61	


Parent's and Adult's Knowledge and Acceptance

35. How often do you tell your children you are proud of them?



1. Never / Almost Never	2	2%
2. Sometimes	21	21%
3. Often	29	30%
4. All the time	46	47%
Total Responses:	98	
Mean: 3.21	Standard Deviation: 0.85	

36. How long have you been living in the United States?



1. Less than 1 year	5	4%
2. 1 to 2 years	1	1%
3. 2 to 3 years	0	0%
4. 3 to 4 years	3	2%
5. 4 to 5 years	15	12%
6. More than 5 years	102	81%
Total Responses:	126	
Mean: 5.60	Standard Deviation: 1.09	

Parent's and Adult's Knowledge and Acceptance