


Youth's Knowledge and Acceptance

Creation Date: 3/18/2009

Time Interval: 10/17/2008 to 3/16/2009


Total Respondents: 86

1. What is your grade level in school?




1. 7th grade	9	11%
2. 8th grade	2	2%
3. 9th grade	8	10%
4. 10th grade	18	22%
5. 11th grade	16	20%
6. 12th grade	28	35%
Total Responses:	81	
Mean: 4.41	Standard Deviation: 1.63	

2. During the LAST 30 DAYS, how many times (if any) have you been a passenger in a car... choose one for each line



1. 0	54	64%
2. 1	12	14%
3. 2	7	8%
4. 3-5	1	1%
5. 6-9	3	4%
6. 10+	8	9%
Total Responses:	85	
Mean: 1.95	Standard Deviation: 1.62	


When you think the driver had 5 or more alcoholic drinks?



1. 0	64	76%
2. 1	10	12%
3. 2	4	5%
4. 3-5	2	2%
5. 6-9	1	1%
6. 10+	3	4%
Total Responses:	84	
Mean: 1.51	Standard Deviation: 1.17	


Youth's Knowledge and Acceptance

3. During the LAST 30 DAYS, how many times (if any) have you driven a car, truck, or motorcycle after... choose one for each line



1. 0	65	76%
2. 1	13	15%
3. 2	3	4%
4. 3-5	0	0%
5. 6-9	2	2%
6. 10+	2	2%
Total Responses:	85	
Mean: 1.44	Standard Deviation: 1.04	


Having 5 or more alcoholic drinks?



1. 0	70	84%
2. 1	4	5%
3. 2	0	0%
4. 3-5	5	6%
5. 6-9	2	2%
6. 10+	2	2%
Total Responses:	83	
Mean: 1.45	Standard Deviation: 1.18	

4. How many of your friends would you estimate... choose one for each line


Smoke Cigarettes?



1. None	29	34%
2. Few	17	20%
3. Some	17	20%
4. Most	16	19%
5. All	6	7%
Total Responses:	85	
Mean: 2.45	Standard Deviation: 1.32	


Youth's Knowledge and Acceptance

Use smokeless tobacco (snuff, plug or chewing tobacco)




1. None	60	71%
2. Few	16	19%
3. Some	5	6%
4. Most	4	5%
5. All	0	0%
Total Responses:	85	
Mean: 1.45	Standard Deviation: 0.81	

Drink alcoholic beverages?




1. None	24	28%
2. Few	16	19%
3. Some	13	15%
4. Most	16	19%
5. All	16	19%
Total Responses:	85	
Mean: 2.81	Standard Deviation: 1.50	

Get drunk at least once a week?



1. None	39	46%
2. Few	17	20%
3. Some	10	12%
4. Most	9	11%
5. All	10	12%
Total Responses:	85	
Mean: 2.22	Standard Deviation: 1.43	


Use anabolic steroids (roids, puffers, etc)?



1. None	65	76%
2. Few	9	11%
3. Some	2	2%
4. Most	3	4%
5. All	6	7%
Total Responses:	85	
Mean: 1.54	Standard Deviation: 1.17	


Youth's Knowledge and Acceptance

Smoke marijuana (pot, grass) or hashish?




1. None	34	40%
2. Few	14	16%
3. Some	9	11%
4. Most	13	15%
5. All	15	18%
Total Responses:	85	
Mean: 2.54	Standard Deviation: 1.56	

Use inhalants (glue, aerosold, poppers, amyl nitrite)?




1. None	72	85%
2. Few	6	7%
3. Some	4	5%
4. Most	2	2%
5. All	1	1%
Total Responses:	85	
Mean: 1.28	Standard Deviation: 0.77	

Take MDMA ("ecstasy")



1. None	49	58%
2. Few	18	21%
3. Some	12	14%
4. Most	3	4%
5. All	3	4%
Total Responses:	85	
Mean: 1.74	Standard Deviation: 1.06	


Take amphetamines (speed, uppers, crystal meth, crank)?



1. None	60	71%
2. Few	18	21%
3. Some	3	4%
4. Most	2	2%
5. All	2	2%
Total Responses:	85	
Mean: 1.45	Standard Deviation: 0.87	


Youth's Knowledge and Acceptance

Take dextromethorphan (DxM)?




1. None	64	75%
2. Few	14	16%
3. Some	3	4%
4. Most	3	4%
5. All	1	1%
Total Responses:	85	
Mean: 1.39	Standard Deviation: 0.82	

Take rohypnol ("roofie")?




1. None	71	84%
2. Few	8	9%
3. Some	3	4%
4. Most	2	2%
5. All	1	1%
Total Responses:	85	
Mean: 1.28	Standard Deviation: 0.75	

Take tranquilizers (Xanax, Clonopin, Valium, Miltown)?



1. None	60	71%
2. Few	14	16%
3. Some	7	8%
4. Most	3	4%
5. All	1	1%
Total Responses:	85	
Mean: 1.48	Standard Deviation: 0.88	


Smoke crack?



1. None	63	74%
2. Few	14	16%
3. Some	2	2%
4. Most	3	4%
5. All	3	4%
Total Responses:	85	
Mean: 1.46	Standard Deviation: 0.97	

Youth's Knowledge and Acceptance

Use cocaine (other than crack)?




1. None	57	67%
2. Few	14	16%
3. Some	7	8%
4. Most	4	5%
5. All	3	4%

Total Responses:

85

Mean: 1.61 Standard Deviation: 1.06

Use heroin (smack, horse, skag)?




1. None	68	80%
2. Few	6	7%
3. Some	6	7%
4. Most	2	2%
5. All	3	4%

Total Responses:

85

Mean: 1.42 Standard Deviation: 0.98

Use any narcotic other than heroin (opium, codeine, paragoric, demorol, percodan, oxycodone, oxycontin darvon)?



1. None	63	74%
2. Few	10	12%
3. Some	6	7%
4. Most	2	2%
5. All	4	5%


Total Responses:

85

Mean: 1.52 Standard Deviation: 1.05

5. How much do you think your friends risk harming themselves (physically or in other ways), if they...

Smoke Cigarettes?



1. None	20	24%
2. Slight	26	31%
3. Moderate	13	15%
4. Great	21	25%
5. Can't Say	5	6%


Total Responses:

85

Mean: 2.59 Standard Deviation: 1.26


Youth's Knowledge and Acceptance

Use smokeless tobacco (snuff, plug or chewing tobacco)




1. None	24	29%
2. Slight	19	23%
3. Moderate	18	21%
4. Great	15	18%
5. Can't Say	8	10%
Total Responses:	84	
Mean: 2.57	Standard Deviation: 1.33	

Take 1 or 2 drinks nearly every day




1. None	22	26%
2. Slight	19	22%
3. Moderate	19	22%
4. Great	20	24%
5. Can't Say	5	6%
Total Responses:	85	
Mean: 2.61	Standard Deviation: 1.26	

Take 4 or 5 drinks nearly every day



1. None	16	19%
2. Slight	14	17%
3. Moderate	19	23%
4. Great	30	36%
5. Can't Say	5	6%
Total Responses:	84	
Mean: 2.93	Standard Deviation: 1.24	


Have 5 or more drinks once or twice a week



1. None	21	25%
2. Slight	11	13%
3. Moderate	11	13%
4. Great	35	41%
5. Can't Say	7	8%
Total Responses:	85	
Mean: 2.95	Standard Deviation: 1.37	


Youth's Knowledge and Acceptance

Use anabolic steroids (roids, puffers, etc)




1. None	20	24%
2. Slight	10	12%
3. Moderate	7	8%
4. Great	38	45%
5. Can't Say	10	12%
Total Responses:	85	
Mean:	3.09	Standard Deviation: 1.41

Try marijuana (pot, grass)




1. None	40	47%
2. Slight	13	15%
3. Moderate	4	5%
4. Great	18	21%
5. Can't Say	10	12%
Total Responses:	85	
Mean:	2.35	Standard Deviation: 1.53

Smoke marijuana (pot, grass) occasionally



1. None	34	40%
2. Slight	20	24%
3. Moderate	4	5%
4. Great	15	18%
5. Can't Say	12	14%
Total Responses:	85	
Mean:	2.42	Standard Deviation: 1.51


Smoke marijuana regularly



1. None	31	37%
2. Slight	20	24%
3. Moderate	8	10%
4. Great	14	17%
5. Can't Say	11	13%
Total Responses:	84	
Mean:	2.45	Standard Deviation: 1.46


Youth's Knowledge and Acceptance

Try an inhalant (glue, aerosols, poppers, amyl nitrite)




1. None	21	25%
2. Slight	11	13%
3. Moderate	13	15%
4. Great	29	34%
5. Can't Say	11	13%
Total Responses:	85	
Mean: 2.98	Standard Deviation: 1.41	

Try MDMA ("ecstasy")




1. None	17	20%
2. Slight	18	21%
3. Moderate	15	18%
4. Great	29	34%
5. Can't Say	6	7%
Total Responses:	85	
Mean: 2.87	Standard Deviation: 1.28	

Take MDMA ("ecstasy") occasionally



1. None	20	24%
2. Slight	16	19%
3. Moderate	15	18%
4. Great	27	32%
5. Can't Say	7	8%
Total Responses:	85	
Mean: 2.82	Standard Deviation: 1.33	


Take MDMA ("ecstasy") regularly



1. None	16	19%
2. Slight	12	14%
3. Moderate	14	16%
4. Great	35	41%
5. Can't Say	8	9%
Total Responses:	85	
Mean: 3.08	Standard Deviation: 1.30	


Youth's Knowledge and Acceptance

Take an amphetamine (speed, uppers, crystal meth, crank) once or twice




1. None	20	24%
2. Slight	9	11%
3. Moderate	12	14%
4. Great	35	41%
5. Can't Say	9	11%
Total Responses:	85	
Mean: 3.05	Standard Deviation: 1.38	

Take an amphetamines occasionally




1. None	20	24%
2. Slight	10	12%
3. Moderate	12	14%
4. Great	33	39%
5. Can't Say	10	12%
Total Responses:	85	
Mean: 3.04	Standard Deviation: 1.39	

Try Rohypnol pill ("roofie") once or twice



1. None	18	21%
2. Slight	11	13%
3. Moderate	10	12%
4. Great	36	42%
5. Can't Say	10	12%
Total Responses:	85	
Mean: 3.11	Standard Deviation: 1.37	


Take Rohypnol ("roofies") occasionally



1. None	18	21%
2. Slight	8	9%
3. Moderate	7	8%
4. Great	43	51%
5. Can't Say	9	11%
Total Responses:	85	
Mean: 3.20	Standard Deviation: 1.36	


Youth's Knowledge and Acceptance

Take Rohypnol pills ("roofies") regularly




1. None	22	26%
2. Slight	10	12%
3. Moderate	4	5%
4. Great	37	44%
5. Can't Say	11	13%
Total Responses:	84	
Mean: 3.06	Standard Deviation: 1.47	

Try dextromethorphan (DxM) once or twice




1. None	23	27%
2. Slight	11	13%
3. Moderate	5	6%
4. Great	35	41%
5. Can't Say	11	13%
Total Responses:	85	
Mean: 3.00	Standard Deviation: 1.47	

Take dextromethorphan (DxM) occasionally



1. None	21	25%
2. Slight	10	12%
3. Moderate	9	11%
4. Great	36	42%
5. Can't Say	9	11%
Total Responses:	85	
Mean: 3.02	Standard Deviation: 1.41	


Try tranquilizers (Xanax, Clonopin, Valium, Miltown)



1. None	20	24%
2. Slight	9	11%
3. Moderate	9	11%
4. Great	35	42%
5. Can't Say	11	13%
Total Responses:	84	
Mean: 3.10	Standard Deviation: 1.42	


Youth's Knowledge and Acceptance

Take tranquilizers occasionally




1. None	27	32%
2. Slight	6	7%
3. Moderate	9	11%
4. Great	36	42%
5. Can't Say	7	8%
Total Responses:	85	
Mean: 2.88	Standard Deviation: 1.45	

Smoke crack once or twice




1. None	25	29%
2. Slight	8	9%
3. Moderate	9	11%
4. Great	38	45%
5. Can't Say	5	6%
Total Responses:	85	
Mean: 2.88	Standard Deviation: 1.40	

Smoke crack occasionally



1. None	24	28%
2. Slight	3	4%
3. Moderate	16	19%
4. Great	37	44%
5. Can't Say	5	6%
Total Responses:	85	
Mean: 2.95	Standard Deviation: 1.36	


Smoke crack regularly



1. None	23	27%
2. Slight	1	1%
3. Moderate	10	12%
4. Great	41	48%
5. Can't Say	10	12%
Total Responses:	85	
Mean: 3.16	Standard Deviation: 1.43	


Youth's Knowledge and Acceptance

Try cocaine (other than crack) once or twice




1. None	23	27%
2. Slight	9	11%
3. Moderate	9	11%
4. Great	34	40%
5. Can't Say	10	12%
Total Responses:	85	
Mean: 2.99	Standard Deviation: 1.44	

Try cocaine occasionally




1. None	25	29%
2. Slight	9	11%
3. Moderate	9	11%
4. Great	35	41%
5. Can't Say	7	8%
Total Responses:	85	
Mean: 2.88	Standard Deviation: 1.43	

Use cocaine regularly



1. None	24	28%
2. Slight	2	2%
3. Moderate	12	14%
4. Great	40	47%
5. Can't Say	7	8%
Total Responses:	85	
Mean: 3.05	Standard Deviation: 1.40	


Use heroin (smack, horse, skag)



1. None	18	21%
2. Slight	5	6%
3. Moderate	6	7%
4. Great	44	52%
5. Can't Say	11	13%
Total Responses:	84	
Mean: 3.30	Standard Deviation: 1.38	

Youth's Knowledge and Acceptance


Use any narcotic other than heroin (opium, codeine, paragoric, demerol, percodan, oxycodone, oxycontin, darvon)



1. None	23	27%
2. Slight	4	5%
3. Moderate	6	7%
4. Great	44	52%
5. Can't Say	8	9%
Total Responses:	85	
Mean: 3.12	Standard Deviation: 1.43	


6. Individuals differ in whether or not they disapprove of their friends doing certain things. Do YOU disapprove of your friends doing each of the following? (Choose an answer for each line)

Smoking 1 or more packs of cigarettes a day



1. Don't disapprove	35	42%
2. Disapprove	29	35%
3. Strongly disapprove	20	24%
Total Responses:	84	
Mean: 1.82	Standard Deviation: 0.79	


Using smokeless tobacco (snuff, plug, chewing tobacco)



1. Don't disapprove	25	30%
2. Disapprove	34	40%
3. Strongly disapprove	25	30%
Total Responses:	84	
Mean: 2.00	Standard Deviation: 0.78	


Youth's Knowledge and Acceptance

Taking 1 or 2 drinks nearly every day




1. Don't disapprove	32	39%
2. Disapprove	29	35%
3. Strongly disapprove	22	27%
Total Responses:	83	
Mean: 1.88	Standard Deviation: 0.80	

Having 5 or more drinks once or twice each week




1. Don't disapprove	22	26%
2. Disapprove	35	42%
3. Strongly disapprove	27	32%
Total Responses:	84	
Mean: 2.06	Standard Deviation: 0.77	

Using anabolic steroids (roids, puffers, etc)



1. Don't disapprove	20	24%
2. Disapprove	25	30%
3. Strongly disapprove	38	46%
Total Responses:	83	
Mean: 2.22	Standard Deviation: 0.81	


Smoking marijuana (pot, grass) once or twice



1. Don't disapprove	46	55%
2. Disapprove	17	20%
3. Strongly disapprove	21	25%
Total Responses:	84	
Mean: 1.70	Standard Deviation: 0.85	


Youth's Knowledge and Acceptance

Smoking marijuana regularly




1. Don't disapprove	41	49%
2. Disapprove	19	23%
3. Strongly disapprove	24	29%
Total Responses:	84	
Mean: 1.80	Standard Deviation: 0.86	

Trying an inhalant (glue, aerosols, poppers, amyl nitrite)




1. Don't disapprove	21	25%
2. Disapprove	26	31%
3. Strongly disapprove	37	44%
Total Responses:	84	
Mean: 2.19	Standard Deviation: 0.81	

Taking MDMA ("ecstasy")



1. Don't disapprove	23	27%
2. Disapprove	29	35%
3. Strongly disapprove	32	38%
Total Responses:	84	
Mean: 2.11	Standard Deviation: 0.81	


Trying an amphetamine (speed, uppers, crystal meth, crank)



1. Don't disapprove	20	24%
2. Disapprove	27	32%
3. Strongly disapprove	37	44%
Total Responses:	84	
Mean: 2.20	Standard Deviation: 0.80	


Youth's Knowledge and Acceptance

Trying Rohypnol ("roofie")




1. Don't disapprove	19	23%
2. Disapprove	24	29%
3. Strongly disapprove	41	49%
Total Responses:	84	
Mean: 2.26	Standard Deviation: 0.81	

Trying dextromethorphan (DxM) once




1. Don't disapprove	21	25%
2. Disapprove	27	32%
3. Strongly disapprove	36	43%
Total Responses:	84	
Mean: 2.18	Standard Deviation: 0.81	

Trying tranquilizer (anax, Clonopin, Valium, Miltown)



1. Don't disapprove	22	26%
2. Disapprove	30	36%
3. Strongly disapprove	32	38%
Total Responses:	84	
Mean: 2.12	Standard Deviation: 0.80	


Trying crack once or twice



1. Don't disapprove	13	16%
2. Disapprove	30	36%
3. Strongly disapprove	40	48%
Total Responses:	83	
Mean: 2.33	Standard Deviation: 0.73	


Youth's Knowledge and Acceptance

Trying cocaine (other than crack) once or twice




1. Don't disapprove	20	24%
2. Disapprove	26	31%
3. Strongly disapprove	38	45%
Total Responses:	84	
Mean: 2.21	Standard Deviation: 0.81	

Using heroin (smack, horse, skag)




1. Don't disapprove	7	8%
2. Disapprove	31	37%
3. Strongly disapprove	46	55%
Total Responses:	84	
Mean: 2.46	Standard Deviation: 0.65	

Using any narcotic other than heroin (opium, codeine, paragoric, demorol, percodan, oxycodone, oxycontin, darvon)



1. Don't disapprove	14	17%
2. Disapprove	34	40%
3. Strongly disapprove	36	43%
Total Responses:	84	
Mean: 2.26	Standard Deviation: 0.73	


7. How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? Choose one choice for each line



1. Very Easy	52	65%
2. Fairly Easy	12	15%
3. Fairly Difficult	5	6%
4. Very Difficult	8	10%
5. Impossible	3	4%
Total Responses:	80	
Mean: 1.72	Standard Deviation: 1.18	


Youth's Knowledge and Acceptance

Smokeless Tobacco (snuff, plug, chewing tobacco)




1. Very Easy	37	46%
2. Fairly Easy	20	25%
3. Fairly Difficult	8	10%
4. Very Difficult	10	12%
5. Impossible	5	6%
Total Responses:	80	
Mean: 2.08	Standard Deviation: 1.28	

Any alcoholic beverage (beer, wine, or liquor)




1. Very Easy	41	51%
2. Fairly Easy	14	18%
3. Fairly Difficult	9	11%
4. Very Difficult	10	12%
5. Impossible	6	8%
Total Responses:	80	
Mean: 2.08	Standard Deviation: 1.35	

Anabolic Steroids (roids, puffers, etc)



1. Very Easy	17	21%
2. Fairly Easy	9	11%
3. Fairly Difficult	18	22%
4. Very Difficult	27	34%
5. Impossible	9	11%
Total Responses:	80	
Mean: 3.02	Standard Deviation: 1.33	


Marijuana, Cannabis, pot, grass or hashish



1. Very Easy	41	51%
2. Fairly Easy	12	15%
3. Fairly Difficult	7	9%
4. Very Difficult	12	15%
5. Impossible	8	10%
Total Responses:	80	
Mean: 2.17	Standard Deviation: 1.45	


Youth's Knowledge and Acceptance

Inhalants (glue, aerosols, poppers, amyl nitrite)




1. Very Easy	27	34%
2. Fairly Easy	11	14%
3. Fairly Difficult	12	15%
4. Very Difficult	21	26%
5. Impossible	9	11%
Total Responses:	80	
Mean: 2.68	Standard Deviation: 1.46	

Rohypnol pills ("roofies")




1. Very Easy	14	17%
2. Fairly Easy	13	16%
3. Fairly Difficult	15	19%
4. Very Difficult	28	35%
5. Impossible	11	14%
Total Responses:	81	
Mean: 3.11	Standard Deviation: 1.32	

Dextromethorphan (DxM)



1. Very Easy	16	20%
2. Fairly Easy	13	16%
3. Fairly Difficult	14	17%
4. Very Difficult	28	35%
5. Impossible	10	12%
Total Responses:	81	
Mean: 3.04	Standard Deviation: 1.35	


Tranquilizers (Xanax, Clonopin, Valium, Miltown)



1. Very Easy	16	20%
2. Fairly Easy	12	15%
3. Fairly Difficult	17	21%
4. Very Difficult	24	30%
5. Impossible	12	15%
Total Responses:	81	
Mean: 3.05	Standard Deviation: 1.36	


Youth's Knowledge and Acceptance

Crack cocaine




1. Very Easy	15	19%
2. Fairly Easy	15	19%
3. Fairly Difficult	13	16%
4. Very Difficult	26	32%
5. Impossible	12	15%
Total Responses:	81	
Mean: 3.06	Standard Deviation: 1.36	

Cocaine (other than crack)




1. Very Easy	20	25%
2. Fairly Easy	15	19%
3. Fairly Difficult	15	19%
4. Very Difficult	22	27%
5. Impossible	9	11%
Total Responses:	81	
Mean: 2.81	Standard Deviation: 1.37	

Heroin (smack, horse, skag)



1. Very Easy	16	20%
2. Fairly Easy	9	11%
3. Fairly Difficult	7	9%
4. Very Difficult	37	46%
5. Impossible	12	15%
Total Responses:	81	
Mean: 3.25	Standard Deviation: 1.38	


Any narcotic other than heroin (opium, codeine, paragoric, demerol, percodan, oxycodone, oxycontin, darvon)



1. Very Easy	15	19%
2. Fairly Easy	10	12%
3. Fairly Difficult	14	18%
4. Very Difficult	24	30%
5. Impossible	17	21%
Total Responses:	80	
Mean: 3.22	Standard Deviation: 1.41	


Youth's Knowledge and Acceptance

8. How difficult do you think it is for someone your age to obtain help in dealing with a drug problem? Choose one.




1. Very Difficult	16	20%
2. Fairly Difficult	13	16%
3. Fairly Easy	25	32%
4. Very easy	14	18%
5. Don't know	11	14%
Total Responses:	79	
Mean: 2.89	Standard Deviation: 1.31	

9. Would you be willing to take a simple lab test to show that you don't use drugs?




1. Yes	53	67%
2. No	26	33%
Total Responses:	79	
Mean: 1.33	Standard Deviation: 0.47	

10. Where do you get most of your information about the effects that drugs have on the people that use them? *Choose all that apply.*



1. Teachers or Counselors	22	29%
2. Friends, Brothers or Sisters	15	20%
3. Your Doctor	2	3%
4. Your Parents	5	7%
5. Other Family Adults	5	7%
6. Police	0	0%
7. Newspapers or Magazines	5	7%
8. Books	4	5%
9. Radio or TV	2	3%
10. Don't Know	16	21%
Total Responses:	76	
Mean: 4.58	Standard Deviation: 3.60	


11. What level of influence have the following sources had on your decisions to not use drugs?



1. None	21	26%
2. Some	25	31%
3. Great	15	19%
4. Very Great	15	19%
5. Can't Say	4	5%
Total Responses:	80	
Mean: 2.45	Standard Deviation: 1.21	


Youth's Knowledge and Acceptance

Brothers, Sisters




1. None	26	32%
2. Some	19	23%
3. Great	16	20%
4. Very Great	14	17%
5. Can't Say	6	7%
Total Responses:	81	
Mean: 2.44	Standard Deviation: 1.30	

Teachers, Counselors




1. None	25	30%
2. Some	22	27%
3. Great	15	18%
4. Very Great	16	20%
5. Can't Say	4	5%
Total Responses:	82	
Mean: 2.41	Standard Deviation: 1.25	

D.A.R.E. program



1. None	29	35%
2. Some	19	23%
3. Great	12	15%
4. Very Great	14	17%
5. Can't Say	8	10%
Total Responses:	82	
Mean: 2.43	Standard Deviation: 1.38	


Police Officers



1. None	35	43%
2. Some	15	19%
3. Great	12	15%
4. Very Great	13	16%
5. Can't Say	6	7%
Total Responses:	81	
Mean: 2.26	Standard Deviation: 1.36	


Youth's Knowledge and Acceptance

Parents




1. None	19	23%
2. Some	13	16%
3. Great	18	22%
4. Very Great	27	33%
5. Can't Say	4	5%
Total Responses:	81	
Mean: 2.80	Standard Deviation: 1.27	

Anti-drug Commercials on Television




1. None	31	38%
2. Some	19	23%
3. Great	11	14%
4. Very Great	14	17%
5. Can't Say	6	7%
Total Responses:	81	
Mean: 2.32	Standard Deviation: 1.34	

12. What is your race? Choose one.



1. White	16	22%
2. Black	3	4%
3. Brown, Mulatto (White + Black)	6	8%
4. Mixed Race (White + Native)	7	9%
5. Yellow, Oriental	2	3%
6. Other race group, (specify below)	40	54%
Total Responses:	74	
Mean: 4.30	Standard Deviation: 2.09	


13. How often have you seen commercials on TV, or heard them on the radio, that are anti-drug?



1. Not At All	15	19%
2. Less than once a month	4	5%
3. 1 - 3 times per month	16	20%
4. Daily or almost daily	25	31%
5. More than once a day	8	10%
6. 1 - 3 times per week	12	15%
Total Responses:	80	
Mean: 3.54	Standard Deviation: 1.61	


Youth's Knowledge and Acceptance

14. To what extent do you think such commercials have made people your age less favorable towards drugs?




1. Not at all	22	28%
2. To a little extent	17	22%
3. To some extent	21	27%
4. To a great extent	10	13%
5. To a very great extent	9	11%
Total Responses:	79	
Mean: 2.58	Standard Deviation: 1.33	

15. To what extent do you think such commercials have overstated the dangers or risks of drug use?




1. Not at all	15	19%
2. To a little extent	18	23%
3. To some extent	19	24%
4. To a great extent	12	15%
5. To a very great extent	14	18%
Total Responses:	78	
Mean: 2.90	Standard Deviation: 1.37	

16. The following are a series of true/false questions about drugs. If you don't know the answer, answer "don't know".



1. True	14	17%
2. False	45	56%
3. Don't Know	22	27%
Total Responses:	81	
Mean: 2.10	Standard Deviation: 0.66	


Crack/cocaine is dangerous and very addictive.



1. True	63	78%
2. False	10	12%
3. Don't Know	8	10%
Total Responses:	81	
Mean: 1.32	Standard Deviation: 0.65	


Youth's Knowledge and Acceptance

Alcoholism is a medical disease.




1. True	45	56%
2. False	22	27%
3. Don't Know	14	17%
Total Responses:	81	
Mean: 1.62	Standard Deviation: 0.77	

The use of steroids may result in mood swings.




1. True	55	69%
2. False	9	11%
3. Don't Know	16	20%
Total Responses:	80	
Mean: 1.51	Standard Deviation: 0.81	

Inhalants can kill.



1. True	50	62%
2. False	11	14%
3. Don't Know	19	24%
Total Responses:	80	
Mean: 1.61	Standard Deviation: 0.85	


Smokeless tobacco does not cause cancer.



1. True	21	26%
2. False	42	52%
3. Don't Know	17	21%
Total Responses:	80	
Mean: 1.95	Standard Deviation: 0.69	


Youth's Knowledge and Acceptance

Alcohol is a drug.




1. True	50	62%
2. False	18	22%
3. Don't Know	12	15%
Total Responses:	80	
Mean: 1.52	Standard Deviation: 0.75	

Brain cell damage can result from drinking alcohol.




1. True	50	63%
2. False	20	25%
3. Don't Know	9	11%
Total Responses:	79	
Mean: 1.48	Standard Deviation: 0.70	

Marijuana can improve short term memory.



1. True	41	51%
2. False	29	36%
3. Don't Know	11	14%
Total Responses:	81	
Mean: 1.63	Standard Deviation: 0.71	


The child of an alcoholic has a higher chance of becoming an alcoholic than someone with no alcoholism in his/her family.



1. True	49	60%
2. False	20	25%
3. Don't Know	12	15%
Total Responses:	81	
Mean: 1.54	Standard Deviation: 0.74	


Youth's Knowledge and Acceptance

Tobacco is not an addictive drug.




1. True	22	27%
2. False	41	51%
3. Don't Know	18	22%
Total Responses:	81	
Mean: 1.95	Standard Deviation: 0.71	

LSD (acid) is not a drug.




1. True	20	25%
2. False	45	56%
3. Don't Know	16	20%
Total Responses:	81	
Mean: 1.95	Standard Deviation: 0.67	

Tea and chocolate contain caffeine.



1. True	51	63%
2. False	14	17%
3. Don't Know	16	20%
Total Responses:	81	
Mean: 1.57	Standard Deviation: 0.81	


One drink of alcohol will improve coordination.



1. True	24	30%
2. False	39	49%
3. Don't Know	17	21%
Total Responses:	80	
Mean: 1.91	Standard Deviation: 0.72	


Youth's Knowledge and Acceptance

Illegal drugs may have other substances mixed into them.




1. True	56	69%
2. False	8	10%
3. Don't Know	17	21%
Total Responses:	81	
Mean: 1.52	Standard Deviation: 0.82	

Using more than one drug at a time may cause unexpected side effects.




1. True	55	68%
2. False	7	9%
3. Don't Know	19	23%
Total Responses:	81	
Mean: 1.56	Standard Deviation: 0.85	

A person who has taken an amphetamine is likely to be talkative and tense.



1. True	35	44%
2. False	7	9%
3. Don't Know	38	48%
Total Responses:	80	
Mean: 2.04	Standard Deviation: 0.96	


17. What is your sex? Choose one.



1. Male	37	58%
2. Female	27	42%
Total Responses:	64	
Mean: 1.42	Standard Deviation: 0.50	


Youth's Knowledge and Acceptance

18. How old were you on your last birthday?




1. 1	1	1%	11. 11	5	6%
2. 2	0	0%	12. 12	3	4%
3. 3	1	1%	13. 13	3	4%
4. 4	0	0%	14. 14	2	2%
5. 5	1	1%	15. 15	18	22%
6. 6	0	0%	16. 16	14	17%
7. 7	0	0%	17. 17	13	16%
8. 8	0	0%	18. 18	10	12%
9. 9	0	0%	19. 19	1	1%
10. 10	0	0%	20. 20 or more	11	13%
Total Responses:				83	
Mean: 15.67				Standard Deviation: 3.44	

19. How many times have you changed homes in the last 10 years?



1. Never	28	34%
2. 1 or 2 times	25	30%
3. 3 or 4 times	19	23%
4. 5 or 6 times	2	2%
5. 7 or more times	8	10%
Total Responses:		82
Mean: 2.23		Standard Deviation: 1.23


20. The rules in my family are clear.



1. NO!	6	7%
2. no	14	17%
3. yes	34	42%
4. YES!	27	33%
Total Responses:		81
Mean: 3.01		Standard Deviation: 0.90


Youth's Knowledge and Acceptance

21. When I am not home, one of my parents knows where I am and who I am with.




1. NO!	8	10%
2. no	12	15%
3. yes	44	54%
4. YES!	18	22%
Total Responses:	82	
Mean: 2.88	Standard Deviation: 0.87	

22. My family has clear rules about alcohol and drug use.




1. NO!	7	8%
2. no	12	14%
3. yes	42	51%
4. YES!	22	27%
Total Responses:	83	
Mean: 2.95	Standard Deviation: 0.87	

23. My parents notice when I am doing a good job and let me know about it.



1. Never / Almost Never	15	18%
2. Sometimes	28	34%
3. Often	27	33%
4. All the time	13	16%
Total Responses:	83	
Mean: 2.46	Standard Deviation: 0.97	


24. If I had a personal problem I could ask my mom or dad for help



1. NO!	8	10%
2. no	16	19%
3. yes	39	47%
4. YES!	20	24%
Total Responses:	83	
Mean: 2.86	Standard Deviation: 0.90	


Youth's Knowledge and Acceptance

25. Would your parents know if you did not come home on time?




1. NO!	8	10%
2. no	15	18%
3. yes	40	49%
4. YES!	19	23%
Total Responses:	82	
Mean: 2.85	Standard Deviation: 0.89	

26. How many brothers and sisters, including stepbrothers and stepsisters, do you have:




1. 0	25	31%
2. 1	29	36%
3. 2	12	15%
4. 3	3	4%
5. 4	3	4%
6. 5	1	1%
7. 6 or more	8	10%
Total Responses:	81	
Mean: 2.57	Standard Deviation: 1.82	

That are younger than you?



1. 0	36	44%
2. 1	18	22%
3. 2	12	15%
4. 3	7	9%
5. 4	2	2%
6. 5	2	2%
7. 6 or more	5	6%
Total Responses:	82	
Mean: 2.35	Standard Deviation: 1.72	


Where are you living now?



1. On a farm	8	10%
2. In the country, not on a farm	6	8%
3. In a city, town, or suburb	66	82%
Total Responses:	80	
Mean: 2.72	Standard Deviation: 0.64	

Youth's Knowledge and Acceptance

27. How long have you been living in the United States?



1. Less than 1 year	6	7%
2. 1 to 2 years	5	6%
3. 2 to 3 years	4	5%
4. 3 to 4 years	3	4%
5. 4 to 5 years	3	4%
6. More than 5 years	62	75%
Total Responses:	83	
Mean: 5.14	Standard Deviation: 1.64	