



# Youth Acceptance & Knowledge

27. How long have you been living in the United States?




1. Less than 1 year	1	3%
2. 1 to 2 years	1	3%
3. 2 to 3 years	1	3%
4. 3 to 4 years	8	21%
5. 4 to 5 years	6	15%
6. More than 5 years	22	56%
<b>Total Responses:</b>	<b>39</b>	
<b>Mean: 5.13</b>	<b>Standard Deviation: 1.24</b>	

Where are you living now?




1. On a farm	0	0%
2. In the country, not on a farm	0	0%
3. In a city, town, or suburb	39	100%
<b>Total Responses:</b>	<b>39</b>	
<b>Mean: 3.00</b>	<b>Standard Deviation: 0.00</b>	

That are younger than you?



1. 0	10	25%
2. 1	17	42%
3. 2	13	32%
4. 3	0	0%
5. 4	0	0%
6. 5	0	0%
7. 6 or more	0	0%
<b>Total Responses:</b>	<b>40</b>	
<b>Mean: 2.08</b>	<b>Standard Deviation: 0.76</b>	


26. How many brothers and sisters, including stepbrothers and stepsisters, do you have:



1. 0	3	8%
2. 1	4	10%
3. 2	19	48%
4. 3	13	32%
5. 4	1	2%
6. 5	0	0%
7. 6 or more	0	0%
<b>Total Responses:</b>	<b>40</b>	
<b>Mean: 3.12</b>	<b>Standard Deviation: 0.91</b>	


# Youth Acceptance & Knowledge

25. Would your parents know if you did not come home on time?




1. NO! 2 5%  
 2. no 4 10%  
 3. yes 14 35%  
 4. YES! 20 50%  
 Total Responses: 40  
 Mean: 3.30 Standard Deviation: 0.85

24. If I had a personal problem I could ask my mom or dad for help




1. NO! 4 10%  
 2. no 2 5%  
 3. yes 15 38%  
 4. YES! 19 48%  
 Total Responses: 40  
 Mean: 3.22 Standard Deviation: 0.95

23. My parents notice when I am doing a good job and let me know about it.



1. Never / Almost Never 6 15%  
 2. Sometimes 14 35%  
 3. Often 10 25%  
 4. All the time 10 25%  
 Total Responses: 40  
 Mean: 2.60 Standard Deviation: 1.03


22. My family has clear rules about alcohol and drug use.



1. NO! 2 5%  
 2. no 4 10%  
 3. yes 21 52%  
 4. YES! 13 32%  
 Total Responses: 40  
 Mean: 3.12 Standard Deviation: 0.79


# Youth Acceptance & Knowledge

21. When I am not home, one of my parents knows where I am and who I am with.




1. NO! 1 2%  
 2. no 7 18%  
 3. yes 17 42%  
 4. YES! 15 38%  
 Total Responses: 40  
 Mean: 3.15 Standard Deviation: 0.80

20. The rules in my family are clear.



1. NO! 2 5%  
 2. no 11 28%  
 3. yes 12 30%  
 4. YES! 15 38%  
 Total Responses: 40  
 Mean: 3.00 Standard Deviation: 0.93


19. How many times have you changed homes in the last 10 years?



1. Never 6 15%  
 2. 1 or 2 times 11 28%  
 3. 3 or 4 times 9 22%  
 4. 5 or 6 times 13 32%  
 5. 7 or more times 1 2%  
 Total Responses: 40  
 Mean: 2.80 Standard Deviation: 1.14

# Youth Acceptance & Knowledge

18. How old were you on your last birthday?




1. 1	0	0%	11. 11	0	0%
2. 2	0	0%	12. 12	0	0%
3. 3	0	0%	13. 13	7	17%
4. 4	0	0%	14. 14	5	12%
5. 5	0	0%	15. 15	6	15%
6. 6	0	0%	16. 16	12	29%
7. 7	0	0%	17. 17	6	15%
8. 8	0	0%	18. 18	3	7%
9. 9	0	0%	19. 19	2	5%
10. 10	0	0%	20. 20 or more	0	0%

Total Responses:

41

Mean: 15.54 Standard Deviation: 1.70

17. What is your sex? Choose one.



1. Male 8 42%


2. Female 11 58%

Total Responses:

19

Mean: 1.58 Standard Deviation: 0.51

A person who has taken an amphetamine is likely to be talkative and tense.



1. True 25 61%

2. False 9 22%

3. Don't Know 7 17%


Total Responses:

41

Mean: 1.56 Standard Deviation: 0.78


# Youth Acceptance & Knowledge

Using more than one drug at a time may cause unexpected side effects.




1. True 15 37%  
 2. False 11 27%  
 3. Don't Know 15 37%  
 Total Responses: 41  
 Mean: 2.00 Standard Deviation: 0.87

Illegal drugs may have other substances mixed into them.




1. True 18 44%  
 2. False 16 39%  
 3. Don't Know 7 17%  
 Total Responses: 41  
 Mean: 1.73 Standard Deviation: 0.74

One drink of alcohol will improve coordination.



1. True 22 54%  
 2. False 14 34%  
 3. Don't Know 5 12%  
 Total Responses: 41  
 Mean: 1.59 Standard Deviation: 0.71


Tea and chocolate contain caffeine.



1. True 32 78%  
 2. False 7 17%  
 3. Don't Know 2 5%  
 Total Responses: 41  
 Mean: 1.27 Standard Deviation: 0.55


# Youth Acceptance & Knowledge

LSD (acid) is not a drug.




1. True 18 44%  
 2. False 23 56%  
 3. Don't Know 0 0%  
 Total Responses: 41  
 Mean: 1.56 Standard Deviation: 0.50

Tobacco is not an addictive drug.




1. True 17 41%  
 2. False 22 54%  
 3. Don't Know 2 5%  
 Total Responses: 41  
 Mean: 1.63 Standard Deviation: 0.58

The child of an alcoholic has a higher chance of becoming an alcoholic than someone with no alcoholism in his/her family.



1. True 23 56%  
 2. False 16 39%  
 3. Don't Know 2 5%  
 Total Responses: 41  
 Mean: 1.49 Standard Deviation: 0.60


Marijuana can improve short term memory.



1. True 27 66%  
 2. False 14 34%  
 3. Don't Know 0 0%  
 Total Responses: 41  
 Mean: 1.34 Standard Deviation: 0.48


# Youth Acceptance & Knowledge

Brain cell damage can result from drinking alcohol.




1. True 24 59%  
 2. False 15 37%  
 3. Don't Know 2 5%  
 Total Responses: 41  
 Mean: 1.46 Standard Deviation: 0.60

Alcohol is a drug.




1. True 21 51%  
 2. False 17 41%  
 3. Don't Know 3 7%  
 Total Responses: 41  
 Mean: 1.56 Standard Deviation: 0.63

Smokeless tobacco does not cause cancer.



1. True 21 51%  
 2. False 8 20%  
 3. Don't Know 12 29%  
 Total Responses: 41  
 Mean: 1.78 Standard Deviation: 0.88


Inhalants can kill.



1. True 17 41%  
 2. False 13 32%  
 3. Don't Know 11 27%  
 Total Responses: 41  
 Mean: 1.85 Standard Deviation: 0.82


# Youth Acceptance & Knowledge

The use of steroids may result in mood swings.




1. True 24 59%  
 2. False 14 34%  
 3. Don't Know 3 7%  
 Total Responses: 41  
 Mean: 1.49 Standard Deviation: 0.64

Alcoholism is a medical disease.




1. True 20 49%  
 2. False 20 49%  
 3. Don't Know 1 2%  
 Total Responses: 41  
 Mean: 1.54 Standard Deviation: 0.55

Crack/cocaine is dangerous and very addictive.



1. True 33 80%  
 2. False 8 20%  
 3. Don't Know 0 0%  
 Total Responses: 41  
 Mean: 1.20 Standard Deviation: 0.40


16. The following are a series of true/false questions about drugs. If you don't know the answer, answer "don't know".



1. True 34 83%  
 2. False 6 15%  
 3. Don't Know 1 2%  
 Total Responses: 41  
 Mean: 1.20 Standard Deviation: 0.46


# Youth Acceptance & Knowledge

15. To what extent do you think such commercials have overstated the dangers or risks of drug use?




1. Not at all	16	40%
2. To a little extent	8	20%
3. To some extent	4	10%
4. To a great extent	12	30%
5. To a very great extent	0	0%
Total Responses:	40	
Mean: 2.30	Standard Deviation: 1.29	

14. To what extent do you think such commercials have made people your age less favorable towards drugs?




1. Not at all	17	42%
2. To a little extent	6	15%
3. To some extent	10	25%
4. To a great extent	5	12%
5. To a very great extent	2	5%
Total Responses:	40	
Mean: 2.22	Standard Deviation: 1.27	

13. How often have you seen commercials on TV, or heard them on the radio, that are anti-drug?



1. Not At All	11	27%
2. Less than once a month	23	56%
3. 1 - 3 times per month	1	2%
4. Daily or almost daily	2	5%
5. More than once a day	0	0%
6. 1 - 3 times per week	4	10%
Total Responses:	41	
Mean: 2.24	Standard Deviation: 1.43	


12. What is your race? Choose one.



1. White	16	39%
2. Black	5	12%
3. Brown, Mulatto (White + Black)	4	10%
4. Mixed Race (White + Native)	15	37%
5. Yellow, Oriental	0	0%
6. Other race group, (specify below)	1	2%
Total Responses:	41	
Mean: 2.54	Standard Deviation: 1.45	


# Youth Acceptance & Knowledge

Anti-drug Commercials on Television




1. None	0	0%
2. Some	21	51%
3. Great	4	10%
4. Very Great	13	32%
5. Can't Say	3	7%
Total Responses:	41	
Mean: 2.95	Standard Deviation: 1.07	

Parents




1. None	0	0%
2. Some	20	49%
3. Great	5	12%
4. Very Great	13	32%
5. Can't Say	3	7%
Total Responses:	41	
Mean: 2.98	Standard Deviation: 1.06	

Police Officers



1. None	2	5%
2. Some	19	46%
3. Great	4	10%
4. Very Great	13	32%
5. Can't Say	3	7%
Total Responses:	41	
Mean: 2.90	Standard Deviation: 1.14	


D.A.R.E. program



1. None	0	0%
2. Some	21	51%
3. Great	4	10%
4. Very Great	12	29%
5. Can't Say	4	10%
Total Responses:	41	
Mean: 2.98	Standard Deviation: 1.11	


# Youth Acceptance & Knowledge

Teachers, Counselors




1. None	0	0%
2. Some	20	49%
3. Great	5	12%
4. Very Great	11	27%
5. Can't Say	5	12%
Total Responses:	41	
Mean: 3.02	Standard Deviation: 1.13	

Brothers, Sisters




1. None	0	0%
2. Some	23	56%
3. Great	2	5%
4. Very Great	11	27%
5. Can't Say	5	12%
Total Responses:	41	
Mean: 2.95	Standard Deviation: 1.16	

11. What level of influence have the following sources had on your decisions to not use drugs?



1. None	0	0%
2. Some	23	56%
3. Great	2	5%
4. Very Great	12	29%
5. Can't Say	4	10%
Total Responses:	41	
Mean: 2.93	Standard Deviation: 1.13	


10. Where do you get most of your information about the effects that drugs have on the people that use them? *Choose all that apply.*



1. Teachers or Counselors	10	27%
2. Friends, Brothers or Sisters	19	51%
3. Your Doctor	4	11%
4. Your Parents	0	0%
5. Other Family Adults	0	0%
6. Police	2	5%
7. Newspapers or Magazines	2	5%
8. Books	0	0%
9. Radio or TV	25	68%
10. Don't Know	3	8%
Total Responses:	37	


# Youth Acceptance & Knowledge

9. Would you be willing to take a simple lab test to show that you don't use drugs?




1. Yes 11 39%  
 2. No 17 61%  
 Total Responses: 28  
 Mean: 1.61 Standard Deviation: 0.50

8. How difficult do you think it is for someone your age to obtain help in dealing with a drug problem? Choose one.




1. Very Difficult 3 8%  
 2. Fairly Difficult 14 38%  
 3. Fairly Easy 9 24%  
 4. Very easy 11 30%  
 5. Don't know 0 0%  
 Total Responses: 37  
 Mean: 2.76 Standard Deviation: 0.98

Any narcotic other than heroin (opium, codeine, paragoric, demerol, percodan, oxycodone, oxycontin, darvon)



1. Very Easy 16 40%  
 2. Fairly Easy 4 10%  
 3. Fairly Difficult 7 18%  
 4. Very Difficult 2 5%  
 5. Impossible 11 28%  
 Total Responses: 40  
 Mean: 2.70 Standard Deviation: 1.68


Heroin (smack, horse, skag)



1. Very Easy 16 40%  
 2. Fairly Easy 4 10%  
 3. Fairly Difficult 7 18%  
 4. Very Difficult 1 2%  
 5. Impossible 12 30%  
 Total Responses: 40  
 Mean: 2.72 Standard Deviation: 1.71


# Youth Acceptance & Knowledge

## Cocaine (other than crack)




1. Very Easy	18	45%
2. Fairly Easy	2	5%
3. Fairly Difficult	7	18%
4. Very Difficult	1	2%
5. Impossible	12	30%
Total Responses:	40	
Mean: 2.68	Standard Deviation: 1.75	

## Crack cocaine




1. Very Easy	14	35%
2. Fairly Easy	8	20%
3. Fairly Difficult	7	18%
4. Very Difficult	1	2%
5. Impossible	10	25%
Total Responses:	40	
Mean: 2.62	Standard Deviation: 1.60	

## Tranquilizers (Xanax, Clonopin, Valium, Miltown)



1. Very Easy	14	35%
2. Fairly Easy	9	22%
3. Fairly Difficult	6	15%
4. Very Difficult	2	5%
5. Impossible	9	22%
Total Responses:	40	
Mean: 2.58	Standard Deviation: 1.57	


## Dextromethorphan (DxM)



1. Very Easy	8	20%
2. Fairly Easy	16	40%
3. Fairly Difficult	5	12%
4. Very Difficult	2	5%
5. Impossible	9	22%
Total Responses:	40	
Mean: 2.70	Standard Deviation: 1.45	


# Youth Acceptance & Knowledge

Rohypnol pills ("roofies")




1. Very Easy	8	20%
2. Fairly Easy	16	40%
3. Fairly Difficult	5	12%
4. Very Difficult	2	5%
5. Impossible	9	22%
Total Responses:	40	
Mean: 2.70	Standard Deviation: 1.45	

Inhalants (glue, aerosols, poppers, amyl nitrite)




1. Very Easy	11	28%
2. Fairly Easy	14	35%
3. Fairly Difficult	4	10%
4. Very Difficult	2	5%
5. Impossible	9	22%
Total Responses:	40	
Mean: 2.60	Standard Deviation: 1.52	

Marijuana, Cannabis, pot, grass or hashish



1. Very Easy	19	48%
2. Fairly Easy	7	18%
3. Fairly Difficult	4	10%
4. Very Difficult	3	8%
5. Impossible	7	18%
Total Responses:	40	
Mean: 2.30	Standard Deviation: 1.56	


Anabolic Steroids (roids, puffers, etc)



1. Very Easy	20	50%
2. Fairly Easy	8	20%
3. Fairly Difficult	4	10%
4. Very Difficult	4	10%
5. Impossible	4	10%
Total Responses:	40	
Mean: 2.10	Standard Deviation: 1.39	


# Youth Acceptance & Knowledge

Any alcoholic beverage (beer, wine, or liquor)




1. Very Easy	26	65%
2. Fairly Easy	5	12%
3. Fairly Difficult	3	8%
4. Very Difficult	4	10%
5. Impossible	2	5%
Total Responses:	40	
Mean: 1.78	Standard Deviation: 1.25	

Smokeless Tobacco (snuff, plug, chewing tobacco)




1. Very Easy	36	90%
2. Fairly Easy	3	8%
3. Fairly Difficult	1	2%
4. Very Difficult	0	0%
5. Impossible	0	0%
Total Responses:	40	
Mean: 1.12	Standard Deviation: 0.40	

7. How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? Choose one choice for each line



1. Very Easy	40	100%
2. Fairly Easy	0	0%
3. Fairly Difficult	0	0%
4. Very Difficult	0	0%
5. Impossible	0	0%
Total Responses:	40	
Mean: 1.00	Standard Deviation: 0.00	


Using any narcotic other than heroin (opium, codeine, paragoric, demorol, percodan, oxycodone, oxycontin, darvon)



1. Don't disapprove	7	17%
2. Disapprove	19	46%
3. Strongly disapprove	15	37%
Total Responses:	41	
Mean: 2.20	Standard Deviation: 0.71	


# Youth Acceptance & Knowledge

Using heroin (smack, horse, skag)




1. Don't disapprove 7 17%  
 2. Disapprove 19 46%  
 3. Strongly disapprove 15 37%  
 Total Responses: 41  
 Mean: 2.20 Standard Deviation: 0.71

Trying cocaine (other than crack) once or twice




1. Don't disapprove 6 15%  
 2. Disapprove 20 49%  
 3. Strongly disapprove 15 37%  
 Total Responses: 41  
 Mean: 2.22 Standard Deviation: 0.69

Trying crack once or twice



1. Don't disapprove 10 24%  
 2. Disapprove 16 39%  
 3. Strongly disapprove 15 37%  
 Total Responses: 41  
 Mean: 2.12 Standard Deviation: 0.78


Trying tranquilizer (anax, Clonopin, Valium, Miltown)



1. Don't disapprove 10 24%  
 2. Disapprove 14 34%  
 3. Strongly disapprove 17 41%  
 Total Responses: 41  
 Mean: 2.17 Standard Deviation: 0.80


# Youth Acceptance & Knowledge

Trying dextromethorphan (DxM) once




1. Don't disapprove 17 41%  
 2. Disapprove 9 22%  
 3. Strongly disapprove 15 37%  
 Total Responses: 41  
 Mean: 1.95 Standard Deviation: 0.89

Trying Rohypnol ("roofie")




1. Don't disapprove 18 44%  
 2. Disapprove 8 20%  
 3. Strongly disapprove 15 37%  
 Total Responses: 41  
 Mean: 1.93 Standard Deviation: 0.91

Trying an amphetamine (speed, uppers, crystal meth, crank)



1. Don't disapprove 12 29%  
 2. Disapprove 14 34%  
 3. Strongly disapprove 15 37%  
 Total Responses: 41  
 Mean: 2.07 Standard Deviation: 0.82


Taking MDMA ("ecstasy")



1. Don't disapprove 16 39%  
 2. Disapprove 7 17%  
 3. Strongly disapprove 18 44%  
 Total Responses: 41  
 Mean: 2.05 Standard Deviation: 0.92


# Youth Acceptance & Knowledge

Trying an inhalant (glue, aerosols, poppers, amyl nitrite)




1. Don't disapprove 13 32%  
 2. Disapprove 10 24%  
 3. Strongly disapprove 18 44%  
 Total Responses: 41  
 Mean: 2.12 Standard Deviation: 0.87

Smoking marijuana regularly




1. Don't disapprove 16 39%  
 2. Disapprove 10 24%  
 3. Strongly disapprove 15 37%  
 Total Responses: 41  
 Mean: 1.98 Standard Deviation: 0.88

Smoking marijuana (pot, grass) once or twice



1. Don't disapprove 20 49%  
 2. Disapprove 7 17%  
 3. Strongly disapprove 14 34%  
 Total Responses: 41  
 Mean: 1.85 Standard Deviation: 0.91


Using anabolic steroids (roids, puffers, etc)



1. Don't disapprove 15 37%  
 2. Disapprove 15 37%  
 3. Strongly disapprove 11 27%  
 Total Responses: 41  
 Mean: 1.90 Standard Deviation: 0.80


# Youth Acceptance & Knowledge

Having 5 or more drinks once or twice each week




1. Don't disapprove 19 46%  
 2. Disapprove 10 24%  
 3. Strongly disapprove 12 29%  
 Total Responses: 41  
 Mean: 1.83 Standard Deviation: 0.86

Taking 1 or 2 drinks nearly every day



1. Don't disapprove 20 49%  
 2. Disapprove 10 24%  
 3. Strongly disapprove 11 27%  
 Total Responses: 41  
 Mean: 1.78 Standard Deviation: 0.85

Using smokeless tobacco (snuff, plug, chewing tobacco)




1. Don't disapprove 27 66%  
 2. Disapprove 3 7%  
 3. Strongly disapprove 11 27%  
 Total Responses: 41  
 Mean: 1.61 Standard Deviation: 0.89

# Youth Acceptance & Knowledge


6. Individuals differ in whether or not they disapprove of their friends doing certain things. Do YOU disapprove of your friends doing each of the following? (Choose an answer for each line)

Smoking 1 or more packs of cigarettes a day




1. Don't disapprove	32	78%
2. Disapprove	0	0%
3. Strongly disapprove	9	22%
Total Responses:	41	
Mean: 1.44	Standard Deviation: 0.84	

Use any narcotic other than heroin (opium, codeine, paragoric, demerol, percodan, oxycodone, oxycontin, darvon)




1. None	23	56%
2. Slight	4	10%
3. Moderate	3	7%
4. Great	11	27%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 2.05	Standard Deviation: 1.32	

Use heroin (smack, horse, skag)



1. None	23	56%
2. Slight	4	10%
3. Moderate	3	7%
4. Great	11	27%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 2.05	Standard Deviation: 1.32	


Use cocaine regularly



1. None	23	56%
2. Slight	3	7%
3. Moderate	4	10%
4. Great	11	27%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 2.07	Standard Deviation: 1.33	


# Youth Acceptance & Knowledge

Try cocaine occasionally




1. None	24	59%
2. Slight	1	2%
3. Moderate	5	12%
4. Great	11	27%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 2.07	Standard Deviation: 1.35	

Try cocaine (other than crack) once or twice




1. None	24	59%
2. Slight	1	2%
3. Moderate	5	12%
4. Great	11	27%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 2.07	Standard Deviation: 1.35	

Smoke crack regularly



1. None	25	61%
2. Slight	1	2%
3. Moderate	2	5%
4. Great	13	32%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 2.07	Standard Deviation: 1.40	


Smoke crack occasionally



1. None	22	55%
2. Slight	4	10%
3. Moderate	1	2%
4. Great	13	32%
5. Can't Say	0	0%
Total Responses:	40	
Mean: 2.12	Standard Deviation: 1.38	


# Youth Acceptance & Knowledge

Smoke crack once or twice




1. None	22	54%
2. Slight	6	15%
3. Moderate	0	0%
4. Great	13	32%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 2.10	Standard Deviation: 1.36	

Take tranquilizers occasionally




1. None	34	83%
2. Slight	7	17%
3. Moderate	0	0%
4. Great	0	0%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 1.17	Standard Deviation: 0.38	

Try tranquilizers (Xanax, Clonopin, Valium, Miltown)



1. None	28	68%
2. Slight	4	10%
3. Moderate	3	7%
4. Great	3	7%
5. Can't Say	3	7%
Total Responses:	41	
Mean: 1.76	Standard Deviation: 1.30	


Take dextromethorphan (DxM) occasionally



1. None	22	55%
2. Slight	4	10%
3. Moderate	3	8%
4. Great	4	10%
5. Can't Say	7	18%
Total Responses:	40	
Mean: 2.25	Standard Deviation: 1.61	


# Youth Acceptance & Knowledge

Try dextromethorphan (DxM) once or twice




1. None	23	56%
2. Slight	3	7%
3. Moderate	3	7%
4. Great	4	10%
5. Can't Say	8	20%
Total Responses:	41	
Mean: 2.29	Standard Deviation: 1.66	

Take Rohypnol pills ("roofies") regularly




1. None	22	55%
2. Slight	5	12%
3. Moderate	1	2%
4. Great	4	10%
5. Can't Say	8	20%
Total Responses:	40	
Mean: 2.28	Standard Deviation: 1.66	

Take Rohypnol ("roofies") occasionally



1. None	24	59%
2. Slight	5	12%
3. Moderate	0	0%
4. Great	4	10%
5. Can't Say	8	20%
Total Responses:	41	
Mean: 2.20	Standard Deviation: 1.66	


Try Rohypnol pill ("roofie") once or twice



1. None	22	55%
2. Slight	2	5%
3. Moderate	5	12%
4. Great	4	10%
5. Can't Say	7	18%
Total Responses:	40	
Mean: 2.30	Standard Deviation: 1.62	


# Youth Acceptance & Knowledge

Take an amphetamines occasionally




1. None	21	51%
2. Slight	7	17%
3. Moderate	5	12%
4. Great	3	7%
5. Can't Say	5	12%
Total Responses:	41	
Mean: 2.12	Standard Deviation: 1.44	

Take an amphetamine (speed, uppers, crystal meth, crank) once or twice




1. None	18	45%
2. Slight	9	22%
3. Moderate	10	25%
4. Great	3	8%
5. Can't Say	0	0%
Total Responses:	40	
Mean: 1.95	Standard Deviation: 1.01	

Take MDMA ("ecstasy") regularly



1. None	14	34%
2. Slight	9	22%
3. Moderate	14	34%
4. Great	1	2%
5. Can't Say	3	7%
Total Responses:	41	
Mean: 2.27	Standard Deviation: 1.18	


Take MDMA ("ecstasy") occasionally



1. None	11	27%
2. Slight	7	17%
3. Moderate	13	32%
4. Great	2	5%
5. Can't Say	8	20%
Total Responses:	41	
Mean: 2.73	Standard Deviation: 1.43	


# Youth Acceptance & Knowledge

Try MDMA ("ecstasy")




1. None	13	32%
2. Slight	8	20%
3. Moderate	10	24%
4. Great	2	5%
5. Can't Say	8	20%
Total Responses:	41	
Mean: 2.61	Standard Deviation: 1.48	

Try an inhalant (glue, aerosols, poppers, amyl nitrite)




1. None	12	29%
2. Slight	7	17%
3. Moderate	21	51%
4. Great	1	2%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 2.27	Standard Deviation: 0.92	

Smoke marijuana regularly



1. None	16	39%
2. Slight	7	17%
3. Moderate	12	29%
4. Great	6	15%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 2.20	Standard Deviation: 1.12	


Smoke marijuana (pot, grass) occasionally



1. None	19	46%
2. Slight	10	24%
3. Moderate	8	20%
4. Great	4	10%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 1.93	Standard Deviation: 1.03	


# Youth Acceptance & Knowledge

Try marijuana (pot, grass)




1. None	19	46%
2. Slight	12	29%
3. Moderate	5	12%
4. Great	5	12%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 1.90	Standard Deviation: 1.04	

Use anabolic steroids (roids, puffers, etc)




1. None	16	39%
2. Slight	10	24%
3. Moderate	3	7%
4. Great	4	10%
5. Can't Say	8	20%
Total Responses:	41	
Mean: 2.46	Standard Deviation: 1.57	

Have 5 or more drinks once or twice a week



1. None	10	24%
2. Slight	17	41%
3. Moderate	13	32%
4. Great	1	2%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 2.12	Standard Deviation: 0.81	


Take 4 or 5 drinks nearly every day



1. None	9	22%
2. Slight	20	49%
3. Moderate	11	27%
4. Great	1	2%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 2.10	Standard Deviation: 0.77	


# Youth Acceptance & Knowledge

Take 1 or 2 drinks nearly every day



1. None	19	46%
2. Slight	18	44%
3. Moderate	3	7%
4. Great	1	2%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 1.66	Standard Deviation: 0.73	


Use smokeless tobacco (snuff, plug or chewing tobacco)



1. None	11	27%
2. Slight	27	66%
3. Moderate	2	5%
4. Great	1	2%
5. Can't Say	0	0%
Total Responses:	41	
Mean: 1.83	Standard Deviation: 0.63	


5. How much do you think your friends risk harming themselves (physically or in other ways), if they...

Smoke Cigarettes?



1. None	9	22%
2. Slight	21	51%
3. Moderate	4	10%
4. Great	6	15%
5. Can't Say	1	2%
Total Responses:	41	
Mean: 2.24	Standard Deviation: 1.04	


Use any narcotic other than heroin (opium, codeine, paragoric, demorol, percodan, oxycodone, oxycontin darvon)?



1. None	39	95%
2. Few	2	5%
3. Some	0	0%
4. Most	0	0%
5. All	0	0%
Total Responses:	41	
Mean: 1.05	Standard Deviation: 0.22	


# Youth Acceptance & Knowledge

Use heroin (smack, horse, skag)?




1. None	37	92%
2. Few	3	8%
3. Some	0	0%
4. Most	0	0%
5. All	0	0%
Total Responses:	40	
Mean: 1.08	Standard Deviation: 0.27	

Use cocaine (other than crack)?




1. None	31	76%
2. Few	9	22%
3. Some	1	2%
4. Most	0	0%
5. All	0	0%
Total Responses:	41	
Mean: 1.27	Standard Deviation: 0.50	

Smoke crack?



1. None	38	93%
2. Few	2	5%
3. Some	1	2%
4. Most	0	0%
5. All	0	0%
Total Responses:	41	
Mean: 1.10	Standard Deviation: 0.37	


Take tranquilizers (Xanax, Clonopin, Valium, Miltown)?



1. None	26	63%
2. Few	14	34%
3. Some	1	2%
4. Most	0	0%
5. All	0	0%
Total Responses:	41	
Mean: 1.39	Standard Deviation: 0.54	


# Youth Acceptance & Knowledge

Take rohypnol ("roofie")?




1. None	29	71%
2. Few	12	29%
3. Some	0	0%
4. Most	0	0%
5. All	0	0%
Total Responses:	41	
Mean: 1.29	Standard Deviation: 0.46	

Take dextromethorphan (DxM)?




1. None	27	66%
2. Few	14	34%
3. Some	0	0%
4. Most	0	0%
5. All	0	0%
Total Responses:	41	
Mean: 1.34	Standard Deviation: 0.48	

Take amphetamines (speed, uppers, crystal meth, crank)?



1. None	27	66%
2. Few	14	34%
3. Some	0	0%
4. Most	0	0%
5. All	0	0%
Total Responses:	41	
Mean: 1.34	Standard Deviation: 0.48	


Take MDMA ("ecstasy")



1. None	19	46%
2. Few	2	5%
3. Some	8	20%
4. Most	11	27%
5. All	1	2%
Total Responses:	41	
Mean: 2.34	Standard Deviation: 1.37	


# Youth Acceptance & Knowledge

Use inhalants (glue, aerosold, poppers, amyl nitrite)?




1. None	18	44%
2. Few	13	32%
3. Some	7	17%
4. Most	2	5%
5. All	1	2%
Total Responses:	41	
Mean: 1.90	Standard Deviation: 1.02	

Smoke marijuana (pot, grass) or hashish?




1. None	14	34%
2. Few	6	15%
3. Some	6	15%
4. Most	15	37%
5. All	0	0%
Total Responses:	41	
Mean: 2.54	Standard Deviation: 1.31	

Use anabolic steroids (roids, puffers, etc)?



1. None	5	12%
2. Few	26	63%
3. Some	3	7%
4. Most	6	15%
5. All	1	2%
Total Responses:	41	
Mean: 2.32	Standard Deviation: 0.96	

Get drunk at least once a week?



1. None	8	20%
2. Few	13	32%
3. Some	7	17%
4. Most	12	29%
5. All	1	2%
Total Responses:	41	
Mean: 2.63	Standard Deviation: 1.18	


# Youth Acceptance & Knowledge

Creation Date: 5/4/2010

Time Interval: 5/4/2010 to 5/4/2010


Total Respondents: 41

1. What is your grade level in school?




1. 7th grade	5	12%
2. 8th grade	6	15%
3. 9th grade	7	17%
4. 10th grade	6	15%
5. 11th grade	8	20%
6. 12th grade	9	22%
Total Responses:	41	
Mean: 3.80	Standard Deviation: 1.72	

2. During the LAST 30 DAYS, how many times (if any) have you been a passenger in a car... choose one for each line



1. 0	8	20%
2. 1	13	32%
3. 2	2	5%
4. 3-5	2	5%
5. 6-9	2	5%
6. 10+	14	34%
Total Responses:	41	
Mean: 3.46	Standard Deviation: 2.07	


When you think the driver had 5 or more alcoholic drinks?



1. 0	24	59%
2. 1	15	37%
3. 2	1	2%
4. 3-5	1	2%
5. 6-9	0	0%
6. 10+	0	0%
Total Responses:	41	
Mean: 1.49	Standard Deviation: 0.68	


# Youth Acceptance & Knowledge

3. During the LAST 30 DAYS, how many times (if any) have you driven a car, truck, or motorcycle after... choose one for each line



1. 0	23	56%
2. 1	15	37%
3. 2	2	5%
4. 3-5	1	2%
5. 6-9	0	0%
6. 10+	0	0%
Total Responses:	41	
Mean: 1.54	Standard Deviation: 0.71	


Having 5 or more alcoholic drinks?



1. 0	28	68%
2. 1	10	24%
3. 2	2	5%
4. 3-5	1	2%
5. 6-9	0	0%
6. 10+	0	0%
Total Responses:	41	
Mean: 1.41	Standard Deviation: 0.71	

4. How many of your friends would you estimate... choose one for each line


Smoke Cigarettes?



1. None	1	2%
2. Few	14	34%
3. Some	19	46%
4. Most	5	12%
5. All	2	5%
Total Responses:	41	
Mean: 2.83	Standard Deviation: 0.86	


# Youth Acceptance & Knowledge

Use smokeless tobacco (snuff, plug or chewing tobacco)



1. None	2	5%
2. Few	27	66%
3. Some	8	20%
4. Most	3	7%
5. All	1	2%
Total Responses:	41	
Mean: 2.37	Standard Deviation: 0.80	

Drink alcoholic beverages?



1. None	3	7%
2. Few	18	44%
3. Some	12	29%
4. Most	7	17%
5. All	1	2%
Total Responses:	41	
Mean: 2.63	Standard Deviation: 0.94	